

Vx Omni Subsea Multiphase Flowmeter Nonretrievable Interfaces

Vx Omni Subsea Multiphase Flowmeter Size and Pressure Rating Projection

Pressure, psi	Size, mm		
	52	65	88
10,000	●	●	●
15,000	●	●	●
20,000	●	●	—

Specifications



Size, mm	Pressure Rating, psi	Interface 1	A, mm	B, mm	C, mm
52 [†]	10,000	API 6BX, 4 ¹ / ₁₆ in, ID 103 mm	810 ± 0.2	836 ± 3	768 ± 3
	15,000	API 6BX, 4 ¹ / ₁₆ in, ID 103 mm	860 ± 0.2	836 ± 3	768 ± 3
	20,000	API 6BX, 4 ¹ / ₁₆ in, ID 103 mm	930 ± 0.2	836 ± 3	768 ± 3
65 [‡]	10,000	API 6BX, 5 ¹ / ₈ in, ID 130 mm	830 ± 0.2	865 ± 3	782 ± 3
	15,000	API 6BX, 5 ¹ / ₈ in, ID 130 mm	900 ± 0.2	865 ± 3	782 ± 3
	20,000	OneSubsea, 5 ¹ / ₈ in, ID 130 mm	1,000 ± 0.2	865 ± 3	782 ± 3
88 [§]	10,000	API 6BX, 7 ¹ / ₁₆ in, ID 179 mm	960 ± 0.2	880 ± 3	802 ± 3
	15,000	API 6BX, 7 ¹ / ₁₆ in, ID 179 mm	1,000 ± 0.2	880 ± 3	802 ± 3

[†] Vx Omni 52 flowmeter has a throat diameter of 51.5 mm.

[‡] Vx Omni 65 flowmeter has a throat diameter of 65 mm.

[§] Vx Omni 88 flowmeter has a throat diameter of 89.5 mm.

Dimension "D" depends on the chosen connector type (interface 2).



Vx Omni flowmeter interfaces.